

eThis is a business meeting of the governing body for the City of Herington. There is no implied or expressed right for persons outside the governing body to speak or voice their opinion unless specifically recognized by the chair.

**Regular Meeting
July 20, 2021
5:30 p.m.**

1. Pledge of Allegiance
2. Call to Order
3. Consider Minutes of the Regular Meeting July 6, 2021
Motion _____ Seconded _____ Action _____
Commissioner Castleberry, Commissioner Donahue, Commissioner Bell,
Commissioner Hartman, Mayor Urbanek
4. Public Forum
5. Additional Agenda Items
6. Approval of Agenda
Motion _____ Seconded _____ Action _____
Commissioner Castleberry, Commissioner Donahue, Commissioner Bell,
Commissioner Hartman, Mayor Urbanek
7. Neighborhood Enforcement Officer Update
8. City Clerk Update
9. Update on Mural Rehabilitation
10. Discuss and Action on Approval of Cereal Malt Beverage Special Event Permit for the Tri-County Area Chamber of Commerce Banquet August 21st 2021
Motion _____ Seconded _____ Action _____
Commissioner Castleberry, Commissioner Donahue, Commissioner Bell,
Commissioner Hartman, Mayor Urbanek
11. Discuss and Action on Solicitation of Bid for Fire Department Equipment
Motion _____ Seconded _____ Action _____
Commissioner Castleberry, Commissioner Donahue, Commissioner Bell,
Commissioner Hartman, Mayor Urbanek

12. Discuss and Action on Wastewater Treatment Plant Change Order #1 for \$34,186.88

Motion _____ Seconded _____ Action _____
Commissioner Castleberry, Commissioner Donahue, Commissioner Bell,
Commissioner Hartman, Mayor Urbanek

13. Update on KMEA Generator Proposed Contract Terms

14. Update on Evergy Construction on Trapp Street

15. Update on America Rescue Plan Act

16. Update on Trapp Street CCLIP Project

17. Discuss and Action on City Commissioners and Staff Budget Workshop Date

Motion _____ Seconded _____ Action _____
Commissioner Castleberry, Commissioner Donahue, Commissioner Bell,
Commissioner Hartman, Mayor Urbanek

18. City Manager Comments

19. Commissioner Comments

20. Adjourn

Motion _____ Seconded _____ Action _____
Commissioner Castleberry, Commissioner Donahue, Commissioner Bell,
Commissioner Hartman, Mayor Urbanek

To join the City Commission meetings from your computer, tablet, or smartphone, go to
<https://www.youtube.com/channel/UCbvSBw6l4w85XQHSX0S1BXg>

Public Forum Comments can be dropped in the deposit box or emailed to cityoffice@cityofherington.com.

Regular Meeting
July 6, 2021
5:30 p.m.

The Board of City Commissioners of the City of Herington, Kansas met at City Hall at 5:30 p.m. on the above date – the following being present: Mayor Debi Urbanek, Commissioner Vance Donahue II, Commissioner Ben Castleberry, City Manager Branden Dross, City Attorney Brad Jantz and City Clerk Megan Lawrenz. Also, in attendance were Sergeant Detective Chad Langley, Police Officer Brianna Canby, Fire Chief Andrew Avantagiato, Eric Gares, Carl Urbanek and Larry Mann. Absent were Commissioner Hartman and Commissioner Bell.

The meeting opened with the Pledge of Allegiance. Mayor Urbanek called the meeting to order. A motion was made by Mayor Urbanek, seconded by Commissioner Donahue to approve the Minutes of the Regular Meeting June 15, 2021, and Special Meeting June 22, 2021. Motion carried 3-0.

Public Forum Items – None.

Additional Agenda Items – None.

A motion was made by Mayor Urbanek, seconded by Commissioner Donahue to approve the agenda as presented. Motion carried 3-0.

Police Update – There were 213 total calls, 5 felony arrests, 2 warrant arrests and 45 traffic stops. Working through MOU with Junction City. There are 10 potential officers that could come and assist part time. RC has completed a Civil Process Class. Officer Breanna Canby was introduced to the Commissioners. Her academy graduation date is set for July 30, 2021. The Police Department is inviting outside agencies to participate in the Fair Parade.

Fire Update – 49 calls for service, 5 grass fires, 5 MVA's, 16 medical assists, 7 public assists/assist govt agency (new category to show when the fire department assists the city or Neighborhood Enforcement Officer), 2 unauthorized burnings, 2 standbys (fireworks and drag races), 8 control burn permits, 1 prescribed burn, 2 false alarms and 1 structure fire. Average response time 4:14 from call to in service. July training will cover drafting and relay pumping. Fire 1 class has slowed, lead instructor left the class due to a family emergency, class will transfer to Herington, will regroup, and move forward. Starting an extra day of training each month for new/younger members. Brought on 1 volunteer, there are 2 applications still out. Nelson's progressing and doing well. Department and equipment updates, forestry grant was awarded starting to receive equipment. Fire Chief Avantagiato told the Commissioners to expect a presentation about equipment that the fire department hopes to be able to purchase. Fourth of July weekend went well no major fires or accidents, and the Herington Fire Department is inviting outside agencies to participate in the Fair Parade.

Neighborhood Enforcement Officer Update – Tabled.

City Clerk Update – Provided Commissioners with May 2021 Financials, provided a very rough draft budget to the Commissioners with preliminary 2020 actuals, final numbers are pending the 2020 audit.

Discuss and Action on Planning Commission Bylaws – Mayor Urbanek motioned to approve the bylaws for the Planning Commission, seconded by Commissioner Donahue. Motion carried 3-0.

Discuss and Action on Approval of Cereal Malt Beverage Special Event Permit for the Tri-County Free Fair - Mayor Urbanek motioned to approve the cereal malt beverage special event permit for the Tri-County Free Fair from July 9th at 10:00 am to July 11th at 10:00 pm, seconded by Commissioner Donahue. Motion carried 3-0.

Discuss and Action on Approval of Cereal Malt Beverage Special Event permit for RGEG Presents Championship Wrestling – Commissioner Donahue motioned to approve the Cereal Malt Beverage Special Event permit for RGEG Presents Championship Wrestling on July 30th from 6:00 pm to 10:00 pm, seconded by Mayor Urbanek. Motion carried 3-0.

Discuss and Action on Approval of Cereal Malt Beverage NEW license for Family Dollar Store #32742 – Mayor Urbanek motioned to approve the new cereal malt beverage license for the Family Dollar Store #32742, seconded by Commissioner Donahue. Motion carried 3-0.

Discuss and Action on Temporary Exemption for Cereal Malt Beverage Consumption at the South Ball Fields – Commissioner Castleberry motioned to approve temporary exemption for cereal malt beverage consumption at the south ball fields on July 17th and 18th, seconded by Mayor Urbanek. Motion carried 3-0.

Discuss and Action to Approve the City Manager to Attend the ICMA Annual Conference in Portland, OR in October 2021, Commissioner Castleberry motioned to approve the City Manager to attend the ICMA annual conference in Portland, OR in October 2021, seconded by Commissioner Donahue. Motion carried 3-0.

Update on USDA RD Loan – Water Rate Expectations – City Manager Dross provided information letting the Commissioners know that if we keep the current water rate increase of 3% the city will see a shortfall in 2024. City Manager Dross will keep the Commissioners informed.

Mayor Urbanek motioned to recess into Executive Session, pursuant to the personnel matters of non-elected personnel exception, K.S.A. 75-4319(b)(1) to include the Governing Body, City Manager and City Attorney, open meeting to resume at 6:10 pm. Motion fails for lack of a second.

Commissioner Castleberry motioned to recess for five minutes until 6:08 pm to allow time for Commissioner Hartman to arrive to be present for the Executive Session, seconded by Commissioner Donahue. Motion carried 3-0.

Mayor Urbanek motioned to recess into Executive Session, pursuant to the personnel matters of non-elected personnel exception, K.S.A. 75-4319(b)(1) to include the Governing Body, City Manager and City

Attorney, open meeting to resume at 6:30 pm, seconded by Commissioner Castleberry. Motion carried 4-0. No action taken.

City Manager Comments – Commissioners can look forward to two planning ordinances. He and Brad have time set to work on the Police Department manual, Hay Leases, and right of way issues Friday July 9th. Ad Hoc had a meeting to help beautify downtown. Murals are going to get updated, Corky Dunlap will be running the project. The water treatment plant is expecting a month delay, waiting on supplies, look for opening at the end of August or beginning of September. Dickinson County is experiencing a COVID spike. Encourages the community to come dunk him in the dunk tank Friday. Will have an update about the KMEA generator at the next commission meeting. City Manager Dross apologized to Deana Lewis for not recommending her to the Planning Commission.

Commissioner Castleberry – Big thanks to the Herington Fireworks Committee for a great show.

Commissioner Donahue – Feels that the road closures at Father Padilla Park were good for the swim team, would like to see roads closed each time. Fireworks looked great. Reminded the community about the fair this coming weekend, especially the parade on Friday. Is interested in the League of Municipalities Commissioners training. Reminded the street department to mow around the fair grounds.

Commissioner Hartman – Thanked Jeff Kilmer for his hard work on the drag races. Said the Fireworks Committee did great job, has heard a lot of compliments. City good job!

Mayor Urbanek – Feels that some people may feel differently about the road closures during the swim meet. Would like to see the fence around the pool cleaned up and thought the park could have been better maintained before the disc golf tournament and swim meet.

Adjourn – Commissioner Hartman made a motion to adjourn, seconded by Commissioner Donahue. Motion carried 4-0.

Megan Lawrenz, City Clerk

Fire Department Lease Purchase Information

Max Lease Amount

Brush Truck \$120,000 (bid process)

Scott Air Packs \$119,000 (bid process)

Thermal Imager Cameras \$15,000

Leasing Company

Community Leasing Partners
215 S. Seth Child Rd.
Manhattan KS 66502

Total Lease Amount \$254,000

Payment's years 1-7 \$ 30,462.48

Payment's years 8-10 \$ 28,449.46

Fixed interest rate.

First payment due one year from date of signing (2022).

Use money from township contracts (\$39,000 per year).

Lease purchase does not count against City debt.

Brush Truck Spec

2021 F350 regular cab chaise

300-gallon water tank

Diesel pump

Walkway aluminum bed with toolboxes

Feniex light package

Warranty will vary per manufacture.

Scott Airpacks

17 Scott Air-Pak X3 Pro 2.2

17 2200 PSI Cylinders

17 AV300HT 4 strap masks

1 RIT-Pak III 2216

Warranty all parts free from defect for as long as we own it.

Thermal Imager

Scott V320 Thermal Imager 3-year warranty

Flir K53 Thermal Imager 2-5-10 year limited warranty



High performance TIC 320x240

FLIR K53

[Go to Product Support »](#)

The FLIR K53 offers the reliable clarity and performance firefighters need to work quickly and safely in the smokiest environments. This TIC features FSX™ Flexible Scene Enhancement, which intensifies structural and textural details in thermal images. Thanks to the K53's enhanced perspective and orientation, firefighters gain better situational awareness as well as a greater sense of confidence and safety.

DRAFT

Feedback

\$5,345.00

Available for purchase on credit terms. [Learn More](#)

BUY NOW

REQUEST INFO

[Firmware Updates & Configuration »](#)

 **FREE Shipping**
»

 **Shipping & Returns**
»

 **Contact Sales**
»

High-performance, Affordable TICs



Ed M. Feld Equipment Co.

113 North Griffith Road
Carroll, Iowa 51401
712-792-3143 fax 712-792-6658

Work Order

Customer

Name Andrew Avantagiato/ Herington Fire Department
Address 700 S. Broadway
City Herington State KS ZIP 67449
Phone 732-433-9717

Date 1/11/2021
Order No.
Rep Yarnell
FOB Herington, KS

Qty	Description	Unit Price	TOTAL
17	X8812021305304 Scott X3 Pro SCBA, CGA, 2.2, Standard Harness, Parachute Buckles, EZ-Flo Regulator w/ Standard Hose, UEBSS, Pak Tracker	\$5,740.38	\$97,586.46
17	804840-01 Scott 2216psi/30-min Carbon Cylinder & Valve	\$825.02	\$14,025.34
17	201215-22 Scott AV-3000HT 4-strap Facepiece	\$257.94	\$4,384.98
1	200954-11 Scott RIT-Pak III, 2.2, Large, AV-3000HT Facepiece, Rectus Fittings	\$2,773.07	\$2,773.07

DRAFT

Payment Details

- Cash
- Check
- Credit Card

Name _____
CC # _____
Expires _____

SubTotal	\$118,769.85
Shipping & Handling	\$0.00
Taxes	
TOTAL	\$118,769.85

Office Use Only



BRUSH TRUCK PROPOSAL

FELD FIRE

113 N. GRIFFITH RD

P.O. BOX 625

CARROLL, IA. 51401

TOLL FREE: 800-568-2403

BUSINESS: 712-792-3143

FAX: 712-792-6658

DATE: 04/30/2021

FOR: HERINGTON FIRE DEPARTMENT, KS.

Bidder hereby proposes to manufacture and furnish to Purchaser, subject to Purchasers' acceptance of the Bidders, proposal and proper execution of the appropriate contract. The following apparatus and equipment to be built in accordance with the attached specifications :

IN THE AMOUNT OF: \$113,100

DRAFT

Delivery is to be made subject to all clauses of the attached contract, within approximately 90 working days from the receipt of the chassis to the Bidder. The Bidders' right to withdraw this Proposal, if not accepted within 30 days from the above date, is hereby acknowledged.

Payment terms, upon acceptance of this contract, shall be full payment upon delivery.

RESPECTFULLY SUBMITTED by: MATT KLOCKE

Manufacturing Supervisor: Feld Fire

ACCEPTED: _____ **DATE:** _____.

Herington Fire Department Apparatus/SCBA Replacement Plan

Introduction

This presentation outlines the department's current apparatus configuration, long term capital plans, immediate and long term apparatus needs. It also outlines the departments need for replacement of its Self Contained Breathing Appartus.

DRAFT

1-3-5-10 year Capital Needs

Brush 1 replacement 2021(117,100k) **IMMEDIATE NEED**

Engine 1 replacement (\$380-450K/25 years) 2025

SCBA (\$114,424.93) (17 packs, 17 masks, 17 bottles, 1RIT) **IMMEDIATE NEED**

PPE (\$5000/year revolving)

Building / Station (\$800k-1.2 million)

Brush Trucks (\$125-250k new, \$50- 100K referb military surplus)

Utility/Command Vehicles, 40-50k fully equipped.

Current Fleet

- 2 Pumpers
- 1 Rescue
- 2 Small brush trucks(1 OOS)
- 3 Big brush trucks
- 1 Chief SUV
- 1 UTV

ABILITIES

- 2,000' of supply hose
- 1,700' of attack line
- Seating for 35
- Average Age: 25 years

- 2,500 GPM pumping capacity
- 5,000 gallons hauled water (1,000 per truck, 3,000 in brush trucks.)
- 2 apparatus with rescue equipment

Operating out of 3 different buildings slows response delays hauled water.

Current Fleet

Station 1

- E1: 1999 E-One Pumper
- E2: 2004 Rosenbauer Pumper
- Rescue 2: 2006 Rosenbauer Rescue
- Squad 1: 2020 Ford/Feld Fire Brush Truck Quick Attack
- 940: 2005 Chevy Taheo Command/ Support Vehicle



photo by Andy Thomas 2019



photo by Andy Thomas 2019

Current Fleet City Shop

- *Brush 1: 1987 Chevy 1.25-ton Cuvv Brush truck
- Brush 3: 1985 Am General 5-ton Brush Truck
- Brush 4: 1970 Am General 2.5-ton Brush Truck
- Brush 5: 1990 Am General 5-ton Brush Truck



Fleet History

2015

Station 1

1999 Engine 1
2007 Engine 2
1967 Tanker 7
2006 Rescue 2
2005 Tahoe 940
1997 Expedition 941
1986 Suburban 942

City Shops

1987 Brush 1
1985 Brush 2
1985 Brush 3
1970 Brush 4
1990 Brush 5
Gator 1

Station 2

1985 Engine 5

2018

Station 1

1999 Engine 1
2007 Engine 2
2006 Rescue 2
2005 Tahoe 940
1997 Expedition 941

City Shops

1987 Brush 1
1985 Brush 2
1985 Brush 3
1970 Brush 4
1990 Brush 5
Gator 1

Station 2

1985 Engine 5

2019

Station 1

1999 Engine 1
2007 Engine 2
1985 Engine 5
2006 Rescue 2
2005 Tahoe 940
2010 Crown Vic 941

City Shops

1987 Brush 1
1985 Brush 2
1985 Brush 3
1970 Brush 4
1990 Brush 5
Gator 1

Station 2

1985 Engine 5

2020/2021

Station 1

1999 Engine 1
2007 Engine 2
2006 Rescue 2
2020 Squad 1
2005 Tahoe 940

City Shops

1987 Brush 1
1985 Brush 3
1970 Brush 4
1990 Brush 5
Gator 1

Station 2

Closed

- 2016 Tank 7 taken out of service, loss of 1750 gallons of haul water no replacement.
- 2019 Engine 5 taken out of service. Loss of 500 gallons of water, 750 GPM, pump, reserve/ 3rd engine, supply hose, 35' ground ladders, generator, extrication tool. No replacement.
- 2020 Squad 1 purchased to replace Brush 2 and some limited loss of capability of Engine 5. 2021 gained extrication tool back with county/city purchase.
- 2018 expedition 941 had mechanical failure switched to crown vic, loss of 4x4 was an impact.
- 2020 loss of 941. Used for classes, extra manpower to scenes, staff vehicle during wintertime, haul equipment. Members use personal vehicles often borrow public works trucks. 5 times in March/April 2021

Current Fleet Details

Station 1	Apparatus	Age	Supply Hose	Seating	Booster Tank	NFPA 1901	Replacement Year
	Engine 1	22 YRS	1000'	5	1000	Yes	2025
	Engine 2	14 YRS	1000'	3	1000	Yes	2032
	Squad 1	2 YRS	NA	5	400	NA	2044
	Rescue 2	15 yrs	NA	5	300	Yes	2031
	940	16 yrs		5	NA	Yes	2025(20 years)
Total Station 1			2000'	23	2700 gal.		
DRAFT							
Station 2							
City Shop							
	Brush 1	34 YRS	0'	3	350	NO	2021
	Brush 3	36 YRS	0'	3	1000	No	2024
	Brush 4	51 YRS	0	3	1000	No	Replace with tanker
	Brush 5	31 yrs	0	3	1000	No	2026
Total Station 2			0'	12	3350		
Total Department		Average Age 24.5	2000'	35	6050		

Fleet Configuration Factors

- Must maintain
 - 2,500 gpm pump capacity for ISO with additional reserve (currently at minimum with no reserve)
 - Supply hose and attack hose
 - Seating capacity
 - NFPA 1901, 1500 Compliance (ISO)
 - Hauled water in pumper (initial attack)
 - ISO rating requirements
 - Engines no more than 25 years old
 - Haul water requirements for rural areas.(ISO)

Long Term Apparatus Plans

Phase 1: Replace Brush 1(2021) 113,100

Phase 2 : Replace Engine 1(2025) \$380-\$450K

Phase 3: Replace Tanker 7 that was removed from service in 2016(2023-2025) Increasing need for hauled water at scenes. \$225-\$250K. (Possible AFG grant if old city tanker is used)

Phase 4: Replace Large Brush trucks (2025-2032) \$200-\$225k

++Growing need for a “support vehicle”. Possibly look to add a pickup truck to replace the Crown Vic that was given back to PD. Firefighters use personal pickups at times to haul equipment or borrow other city vehicles. \$32K

Financial Aspects and Constraints

2020 Annual Budget: \$

\$0 budgeted for apparatus and capital replacement needs.


2021 Annual Budget : \$

\$39,000 budgeted for apparatus and capital replacement needs.

2022 Annual Budget : \$

\$9,000 budgeted for apparatus and capital replacement needs.

DRAFT



Future Apparatus Fleet Configuration

2020/2021

Station 1

1999 Engine 1
2007 Engine 2
2006 Rescue 2
2020 Squad 1
2005 Tahoe 940

City Shops

1987 Brush 1
1985 Brush 3
1970 Brush 4
1990 Brush 5
Gator 1

Station 2

Closed

2023

Station 1

1999 Engine 1
2007 Engine 2
2006 Rescue 2
2020 Squad 1
2005 Tahoe 940

City Shops

2021 Brush 1
1985 Brush 3
2022 Tanker/Pumper
1990 Brush 5
Gator 1

Station 2

Closed

2026

New Station 1

2025 Engine 1
2007 Engine 2
2006 Rescue 2
2020 Squad 1
2025 Command 940
2022 Utility F250
2021 Brush 1
2024 Brush 3
2022 Tanker Pumper
2026 Brush 5
Gator 1

City Shops

Turned over to City

Station 2

Closed
(Possibly reopened
manpower dependent)

Current

2 Engines
5 Brush Trucks
1 Rescue
1 Command
1 Shared vehicle (NEO)
1 UTV

Future

2 Engines
1 Tanker/Pumper
4 Brush Trucks
1 Command
1 Utility
1 UTV

SCBA Replacement

- Current Airpack's are from 1994-1996
- Are 5 NFPA cycles out of date(recommend being replaced after 2 cycles or 15 years).
- Most do not have buddy breathers to share air.
- ~~They are not current on annual testing.~~ (current as of April 2021 \$800)
- No RIT connection to assist in rescuing a down firefighter out of air.
- Some do not have P.A.S.S devices.
- Air bottle out of hydro testing dates. (Will be current in 2021 \$3500-\$4000)
- Do not meet current CBRN requirements.
- Parts are failing and no replacements are available.

New SCBA

- Must meet current NFPA/OSHA requirements.
- Have buddy breathers.
- Have RIT connections.
- Interchangeable with current masks and SCBA bottles to save costs and to work with mutual aid partners.
- Straps are removable and washable to reduce carcinogens.
- RIT for rescuing firefighters with low air/SCBA failures.
- 1 pack for drivers. Heavy smoke at street level.



SCBA Replacement Totals

● 17 SCBA needed for department	93,872.13
● 5-E1, 5-R2, 2-SQ1, 4-E2, 1-940	
● 17 new high temp masks	4,175.71
● 17 new SCBA bottle	13,731.59
● 1 RIT pack	<u>2,645.50</u>
Total	114,424.93

SMH CONSULTANTS

July 6, 2021

Branden Dross
City Manager
City of Herington
PO Box 31
17 N. Broadway
Herington, KS 67449

Re: Change Order No. 1
Sludge Press Addition
Herington, KS
KWPCRF Project No.: C20 2040 01
SMH File: 1901MN3000

Dear Mr. Dross:

Enclosed please find Change Order No. 1 for the referenced project. The changes include additional fence along the property line; interior liner panels inside the building; an additional electrical disconnect located at the transformer; an upgraded exhaust fan and additional heater; protective pipe bollards; and additional gravel surfacing. Each change was requested with the exception of the upgraded exhaust fan and additional heater. With the extreme cold experienced this February and to supply additional air exchanges inside the building, another heater was added and the exhaust fan was upgraded.

Finally, additional time is being requested due largely to the delay in obtaining some of the materials – specifically, the overhead door and interior panels.

I believe you are aware of most of these changes or at least several of them, but let us know if you have questions. Thank you.

Respectfully Submitted,



Todd J. Anderson, P.E.
SMH Consultants

CHANGE ORDER
City of Herington, Kansas

Change Order No.: 1

Project No.: KWPCRF C20 2040 01
 Project Title: Sludge Press Addition
 Improvement: Sludge Press Addition to WWTP

District No. _____
 Benefit District: _____
 City at Large: _____

Contractor: Smoky Hill LLC
645 E. Crawford
Suite E8
Salina, KS 67401

Telephone: 785-825-1224

Nature of Change: Addition of barbed wire fence at City's request and per agreement with adjacent landowner; Addition of City requested interior liner panels, a disconnect near the transformer, pipe bollards, and additional gravel surfacing; and an additional heater. The addition of 56 days due to the delay in obtaining materials.

ITEM NO.	DESCRIPTION	PLAN QUANTITY	UNIT	ACTUAL QUANTITY	QUANTITY CHANGE	UNIT PRICE	NET PRICE CHANGE
1.	Barbed Wire Fence	363	LF	575	212	7.75	\$1,643.00
	Change steel corner post to hedge. Deduct of \$206 each x 4 =						(824.00)
	Prime Contractor OH @ 7%						\$ 57.33
	Total for Item 1						\$876.33
2.	Interior Liner Panels	0	LS	1	1	18,554.40	\$18,554.40
3.	3R Fusible Disconnect at Transformer	0	LS	1	1	3,430.15	\$ 3,430.15
4.	Upgrade Exhaust Fan, add another heater	0	LS	1	1	7,644.00	\$ 7,644.00
5.	Pipe Bollards	0	LS	1	1	184.00	\$ 184.00
6.	Gravel Surfacing	470	SY	734	264	13.25	\$ 3,498.00

Project No.: SMH File No.: 1901MN3000

CONTRACT PRICE

Original Contract Price:	\$ <u>354,557.35</u>
Net Increase - Previous Change Orders	\$ <u>0</u>
Net Increase - This Change Order	\$ <u>34,186.88</u>
Current Price Including This Change Order	\$ <u>388,744.23</u>
Percentage Change From Original Contract Price	<u>9.64 %</u>

CONTRACT TIME

Original Contract Time:	<u>Completion by 7/6/2021</u>
Net Increase/Decrease - Previous Change Orders:	<u>0</u>
Net Increase/Decrease - This Change Order:	<u>56</u>
Current Contract Time Including This Change Order	<u>Completion by 8/31/2021</u>

THE ABOVE CHANGES ARE RECOMMENDED TO THE OWNER FOR APPROVAL

7-6-2021

DATE

Jodd Anderson

ENGINEER

THE ABOVE CHANGES ARE ACCEPTED:

DATE

CONTRACTOR

DRAFT

TO:

Smoky Hill LLC

YOU ARE DIRECTED TO MAKE THE CHANGES NOTED HEREIN FOR THE SUBJECT CONTRACT

DATE

Authorized Representative of Municipality